



STEEL STAIR STRINGER

Roll formed from sturdy 10 gauge sheets
10" depth, 2" flange

More economical than junior channel



BAR CHANNELS

STOCK LENGTH 20' – ALSO AVAILABLE IN GALVANIZED

Size in Inches A x B x C	Weight	
	Per Foot	20ft Length
1 x 1/2 x 1/8	0.84	16.80
1-1/4 x 1/2 x 1/8	1.01	20.20
1-1/2 x 1/2 x 1/8	1.12	22.40
1-1/2 x 3/4 x 1/8	1.17	23.40
2 x 1/2 x 1/8	1.34	26.80
2 x 1 x 1/8	1.78	35.60
2 x 1 x 3/16	2.59	51.80
2-1/2 x 5/8 x 3/16	2.34	46.70

BAR CHANNEL IS AVAILABLE PUNCHED FOR FENCING AND OTHER APPLICATIONS.



ROUND BARS

HOT ROLLED OR COLD FINISHED ROUND BARS IN VARIOUS ALLOYS
AND CARBON STEELS – ALSO AVAILABLE IN GALVANIZED

Diameter in Inches	Weight Lbs. Per Foot	Diameter in Inches	Weight Lbs. Per Foot	Diameter in Inches	Weight Lbs. Per Foot
3/16	0.094	1-3/4	8.178	4-1/4	48.230
1/4	0.167	2	10.680	4-3/8	51.110
5/16	0.261	2-1/8	12.060	4-1/2	54.080
3/8	0.376	2-1/4	13.520	4-5/8	57.120
7/16	0.511	2-3/8	15.060	4-3/4	60.250
1/2	0.668	2-1/2	16.690	5	66.760
9/16	0.845	2-5/8	18.400	5-1/4	73.600
5/8	1.043	2-3/4	20.190	5-1/2	80.780
11/16	1.262	2-7/8	22.070	5-3/4	88.290
3/4	1.502	3	24.030	6	96.130
13/16	1.763	3-1/8	26.080	6-1/8	100.180
7/8	2.044	3-1/4	28.210	6-1/4	104.310
15/16	2.347	3-3/8	30.420	6-1/2	112.820
1	2.670	3-1/2	32.710	6-3/4	121.670
1-1/8	3.379	3-5/8	35.090	7	130.850
1-1/4	4.172	3-3/4	37.550	7-1/4	140.360
1-3/8	5.049	3-7/8	40.100	7-1/2	150.210
1-1/2	6.008	4	42.730	7-3/4	160.390
1-5/8	7.051	4-1/8	45.440	8	170.900



SQUARE BARS

ALSO AVAILABLE IN GALVANIZED

Size in Inches	Weight Lbs per Foot	Size in Inches	Weight Lbs per Foot
1/4	0.213	1-1/8	4.300
5/16	0.332	1-1/4	5.310
3/8	0.478	1-3/8	6.430
7/16	0.651	1-1/2	7.650
1/2	0.850	1-5/8	8.980
9/16	1.080	1-3/4	10.410
5/8	1.330	1-7/8	11.950
11/16	1.610	2	13.600
3/4	1.910	2-1/4	17.210
13/16	2.250	2-1/2	21.250
7/8	2.600	2-3/4	25.710
1	3.400	3	30.600

STANDARD LENGTHS: HOT ROLLED - 20'; 1018 COLD FINISHED - 12'



CONCRETE REINFORCING BARS

GR40 AND GR60 ARE AVAILABLE – ALSO AVAILABLE IN GALVANIZED

Diameter in Inches		Weight Lbs.	
		Per Foot	20 ft. Length
3/8	#3	0.376	7.52
1/2	#4	0.668	13.36
5/8	#5	1.043	20.86
3/4	#6	1.502	30.04
7/8	#7	2.044	40.88
1	#8	2.670	53.40
1-1/8	#9	3.400	68.00
1-1/4	#10	4.303	86.06
1-3/8	#11	5.313	106.26
1-3/4	#14	7.650	153.00
2-1/4	#18	13.600	272.00



ALUMINUM ROUNDS

12 FOOT LENGTHS

Diameter In Inches	Weight per Lin. Foot	Diameter In Inches	Weight per Lin. Foot
1/8	.014	1-7/8	3.244
3/16	.032	2	3.691
7/32	.044	2-1/8	4.166
1/4	.058	2-1/4	4.671
5/16	.090	2-1/2	5.767
3/8	.130	2-5/8	6.358
7/16	.177	2-3/4	6.978
1/2	.230	3	8.304
9/16	.292	3-1/4	9.746
5/8	.360	3-1/2	11.303
3/4	.519	3-5/8	12.140
7/8	.706	3-3/4	12.975
1	.923	4	14.763
1-1/8	1.168	4-1/4	16.666
1-1/4	1.442	4-1/2	18.684
1-5/16	1.590	5	23.067
1-3/8	1.745	5-1/2	27.999
1-7/16	1.907	6	33.217
1-1/2	2.076	6-1/2	38.983
1-5/8	2.436	7	45.212
1-3/4	2.826	7-1/2	51.901
1-13/16	3.031	8	59.051



ALUMINUM SHEETS

Size in Inches				Weight per Sq. Foot	Weight per Sheet
.032	x	48	x 96	.447	14.30
			x 120		17.88
			x 144		21.46
.040	x	48	x 96	.559	17.89
			x 120		22.36
			x 144		26.83
.050	x	48	x 96	.698	22.34
			x 120		27.92
			x 144		33.50
.063	x	48	x 96	.880	28.16
			x 120		35.20
			x 144		42.24
.080	x	48	x 96	1.117	35.74
			x 144		53.62
.090	x	48	x 96	1.257	40.22
			x 144		60.34
.100	x	48	x 96	1.397	44.70
			x 120		55.88
			x 144		67.06
.125	x	48	x 96	1.746	55.87
			x 120		69.84
			x 144		83.81
.190	x	48	x 144	2.654	127.39